



## DZD Publikationen 2012

---

Adamski J, Suhre K. Metabolomics platforms for genome wide association studies – linking the genome to the metabolom. *Curr Opin Biotech* (2012) (Epub) doi: 10.1016/j.copbio.2012.10.003

---

Adamski J: Genome-wide association studies with metabolomics. *Genome Medicine* (2012) 4:34

---

Böhm A, Ordelheide AM, Machann J, Heni J, Ketterer C, Machicao F, Schick F, Stefan N, Fritsche A, Häring HU, Staiger H. Common genetic variation in the SERPINF1 locus determines overall adiposity, obesity-related insulin resistance, and circulating leptin levels. *PLoS One* (2012) 7:e34035

---

Boraska V, Day-Williams A, Franklin CS, Elliott KS, Panoutsopoulou K, Tachmazidou I, Albrecht E, Bandinelli S, Beilin LJ, Bochud M, Cadby G, Ernst F, Evans DM, Hayward C, Hicks AA, Huffman J, Huth C, James AL, Klopp N, Kolcic I, Kutalik Z, Lawlor DA, Musk AW, Pehlic M, Pennell CE, Perry JR, Peters A, Polasek O, St Pourcain B, Ring SM, Salvi E, Schipf S, Staessen JA, Teumer A, Timpson N, Vitart V, Warrington NM, Yaghoobkar H, Zemunik T, Zgaga L, An P, Anttila V, Borecki IB, Holmen J, Ntalla I, Palotie A, Pietiläinen KH, Wedenoja J, Winsvold BS, Dedoussis GV, Kaprio J, Province MA, Zwart JA, Burnier M, Campbell H, Cusi D, Smith GD, Frayling TM, Gieger C, Palmer LJ, Pramstaller PP, Rudan I, Völzke H, Wichmann HE, Wright AF, Zeggini E. Genome-wide association study to identify common variants associated with brachial circumference: a meta-analysis of 14 cohorts. *PLoS One* (2012) 7:e31369

---

Brambillasca S, Altkrueger A, Colombo S, Friedrich A, Eickelmann P, Mark M, Borgese N, Solimena M. CDK5 Regulatory Subunit Associated Protein 1-Like 1 (CDKAL1) is a Tail-Anchored Protein in the Endoplasmic Reticulum (ER) of Insulinoma Cells. *J Biol Chem*. Epub ahead of print 2012 Oct 9.

---

Breitfeld J, Tönjes A, Böttcher Y, Schleinitz D, Wiele N, Marzi C, Brockhaus C, Rathmann W, Huth C, Grallert H, Illig T, Blüher M, Kovacs P, Stumvoll M. Genetic variation in the vaspin gene affects circulating serum vaspin concentrations. *International Journal of Obesity* (2012) Aug 21 [Epub ahead of print]

---

Celebi N, Georges G, Machicao F, Artunc F, Rettig I. [Two patients with renal medullary hyperechogenicity]. *Dtsch Med Wochenschr.* (2012) 137:1510

---

Dirx R Jr, Solimena M. Cholesterol-enriched membrane rafts and insulin secretion. *J Diab Invest.* (2012) 3:339

---

Fava E, Dehghany J, Ouwendijk J, Müller A, Niederlein A, Verkade P, Meyer-Hermann M, Solimena M. Novel standards in the measurement of rat insulin granules combining electron microscopy, high-content image analysis and in silico modelling. *Diabetologia* (2012) 55:1013

---



---

Floegel A, Stefan N, Yu Z, Mühlenbruch K, Drogan D, Joost HG, Fritsche A, Häring HU, Hrabé de Angelis M, Peters A, Roden M, Prehn C, Wang-Sattler R, Illig T, Schulze MB, Adamski J, Boeing H, Pischon T. Identification of serum metabolites associated with risk of type 2 diabetes using a targeted metabolomic approach. *Diabetes* (2012) (Epub) doi: 10.2337/db12-0495

---

Föcker M, Timmesfeld N, Scherag S, Knoll N, Singmann P, Wang-Sattler R, Bühren K, Schwarte R, Egberts K, Fleischhaker C, Adamski J, Illig T, Suhre K, Albayrak Ö, Hinney A, Herpertz-Dahlmann B, Hebebrand J. Comparison of metabolic profiles of acutely ill and short-term weight recovered patients with anorexia nervosa reveals alterations of 33 out of 163 metabolites. *J Psychiatr Res* (2012) 46:1600

---

Frank S, Linder K, Kullmann S, Heni M, Ketterer C, Cavusoglu M, Krzeminski A, Fritsche A, Häring HU, Preissl H, Hinrichs J, Veit R. Fat intake modulates cerebral blood flow in homeostatic and gustatory brain areas in humans. *Am J Clin Nutr.* (2012) 95:1342

---

Fuchs H, Gailus-Durner V, Neschen S, Adler T, Afonso LC, Aguilar-Pimentel JA, Becker L, Bohla A, Calzada-Wack J, Cohrs C, Dewert A, Fridrich B, Garrett L, Glasl L, Götz A, Hans W, Hölter SM, Horsch M, Hurt A, Janas E, Janik D, Kahle M, Kistler M, Klein-Rodewald T, Lengger C, Ludwig T, Maier H, Marschall S, Micklich K, Möller G, Naton B, Prehn C, Puk O, Rácz I, Räß M, Rathkolb B, Rozman J, Scheerer M, Schiller E, Schrewe A, Steinkamp R, Stöger C, Sun M, Szymczak W, Treise I, Vargas Panesso IL, Vernaleken AM, Willershäuser M, Wolff-Muscate A, Zeh R, Adamski J, Beckers J, Bekeredjian R, Busch DH, Eickelberg O, Favor J, Graw J, Höfler H, Höschen C, Katus H, Klingenspor M, Klopstock T, Neff F, Ollert M, Schulz H, Stöger T, Wolf E, Wurst W, Yildirim AO, Zimmer A, Hrabé de Angelis M: Innovations in phenotyping of mouse models in the German Mouse Clinic. *Mamm Genome* (2012) 23:611

---

Fuchs H, Neschen S, Rozman J, Rathkolb B, Wagner S, Adler T, Afonso L, Aguilar-Pimentel JA, Becker L, Bohla A, Calzada-Wack J, Cohrs C, Franko A, Garrett L, Glasl L, Götz A, Hagn M, Hans W, Hölter SM, Horsch M, Kahle M, Kistler M, Klein-Rodewald T, Lengger C, Ludwig T, Maier H, Marschall S, Micklich K, Möller G, Naton B, Neff F, Prehn C, Puk O, Rácz I, Räß M, Scheerer M, Schiller E, Schöfer F, Schrewe A, Steinkamp R, Stöger C, Treise I, Willershäuser M, Wolff-Muscate A, Zeh R, Adamski J, Beckers J, Bekeredijan R, Busch DH, Favor J, Graw J, Katus H, Klopstock T, Ollert M, Schulz H, Stöger T, Wurst W, Yildirim AÖ, Zimmer A, Wolf E, Klingenspor M, Gailus-Durner V, Martin Hrabé de Angelis: Mouse Genetics and Metabolic Mouse Phenotyping. In: K. Shure (ed.), *Genetics Meets Metabolomics: from Experiment to Systems Biology*, ISBN 978-1-4614-1688-3, Springer Verlag Berlin Heidelberg (2012)



---

Fuchs H, Sabrautzki S, Seedorf H, Rathkolb B, Rozman J, Hans W, Schneider R, Klasten M, Hölter SM, Becker L, Klempt M, Elvert R, Wurst W, Klopstock T, Klingenspor M, Wolf E, Gailus-Durner V, Hrabé de Angelis M. Does enamelin have pleiotropic effects on organs other than teeth? Lessons from a phenotyping screen of two enamelin-mutant mouse lines. *Eur J Oral Sci* (2012) 120:269

---

Goek ON, Döring A, Gieger C, Heier M, Koenig W, Prehn C, Römisch-Margl W, Wang-Sattler R, Illig T, Suhre K, Sekula P, Zhai G, Adamski J, Köttgen A, Meisinger C. Serum metabolite concentrations and decreased GFR in the general population. *Am J Kidney Dis.* (2012) 60:197

---

Goncalves I, Edsfeldt A, Ko NY, Grufman H, Berg K, Björkbacka H, Nitulescu M, Persson A, Nilsson M, Prehn C, Adamski J, Nilsson J. Evidence supporting a key role of Lp-PLA2-generated lysophosphatidylcholine in human atherosclerotic plaque inflammation. *Arterioscl Throm Vas Biol.* (2012) 32:1505

---

Hatzigelaki E, Wagner R, Kantartzis K, Heni M, Linder K, Ketterer C, Machicao F, Stefan N, Staiger H, Häring HU, Fritsche A. Insulin Resistant Phenotype of Polycystic Ovary Syndrome does not Seem to be Caused by Variation in FTO. *Horm Metab Res.* (2012) 44:810

---

He Y, Yu Z, Giegling I, Xie L, Hartmann AM, Prehn C, Adamski J, Kahn R, Li Y, Illig T, Wang-Sattler R, Rujescu D. Schizophrenia shows a unique metabolomics signature in plasma. *Trans Psychiatry* (2012) 2:e149

---

Heni M, Herzberg-Schäfer S, Machicao F, Häring HU, Fritsche A. Dietary fiber intake modulates the association between variants in TCF7L2 and weight loss during a lifestyle intervention. *Diabetes Care.* (2012) 35:e24

---

Heni M, Ketterer C, Wagner R, Linder K, Böhm A, Herzberg-Schäfer SA, Machicao F, Knoch KP, Fritsche A, Staiger H, Häring HU, Solimena M. Polymorphism rs11085226 in the Gene Encoding Polypyrimidine Tract-Binding Protein 1 Negatively Affects Glucose-Stimulated Insulin Secretion. *PLoS One* (2012) 7:e46154

---

Herzberg-Schäfer S, Heni M, Stefan N, Häring HU, Fritsche A. Impairment of GLP1-induced insulin secretion: role of genetic background, insulin resistance and hyperglycaemia. *Diabetes Obes Metab.* (2012) Suppl 3:85

---

Hesse D, Jaschke A, Chung B, Schürmann A. Trans-Golgi proteins participate in the control of lipid droplet and chylomicron formation. *Biosci Rep.* 2012 Oct 4. [Epub ahead of print]

---



---

Hesse D, Jaschke A, Kanzleiter T, Witte N, Augustin R, Hommel A, Püschel GP, Petzke KJ, Joost HG, Schupp M, Schürmann A. The GTPase ARFRP1 is essential for normal hepatic glycogen storage and IGF1 secretion. *Mol Cell Biol.* (2012) 32:4363

---

Hochrath K, Krawczyk M, Goebel R, Langhirt M, Rathkolb B, Micklich K, Rozmann J, Horsch M, Beckers J, Klingenspor M, Fuchs H, Gailus-Durner V, Wolf E, Acalovschi M, Volmer DA, Hrabé de Angelis M, Lammert F. The hepatic phosphatidylcholine transporter ABCB4 as modulator of glucose homeostasis. *FASEB J.* (2012) (Epub ahead of print) doi: 10.1096/fj.12-209379

---

Hoene M, Runge H, Häring HU, Schleicher ED, Weigert C. Interleukin-6 promotes myogenic differentiation of mouse skeletal muscle cells: Role of the STAT3 pathway. *Am J Physiol Cell Physiol.* (2012) Oct 31. [Epub ahead of print]

---

Horakova O, Medrikova D, van Schothorst EM, Bunschoten A, Flachs P, Kus V, Kuda O, Bardova K, Janovska P, Hensler M, Rossmeisl M, Wang-Sattler R, Prehn C, Adamski J, Illig T, Keijer J, Kopecky J. Preservation of metabolic flexibility in skeletal muscle by a combined use of n-3 PUFA and rosiglitazone in dietary obese mice. *PLoS One.* (2012) 7:e43764

---

Hüttemann M, Lee I, Gao X, Pecina P, Pecinova A, Liu J, Aras S, Sommer N, Sanderson TH, Tost M, Neff F, Aguilar-Pimentel JA, Becker L, Naton B, Rathkolb B, Rozman J, Favor J, Hans W, Prehn C, Puk O, Schrewe A, Sun M, Höfler H, Adamski J, Bekeredijan R, Graw J, Adler T, Busch DH, Klingenspor M, Klopstock T, Ollert M, Wolf E, Fuchs H, Gailus-Durner V, Hrabé de Angelis M, Weissmann N, Doan JW, Bassett DJP, Grossman LI. Cytochrome c oxidase subunit 4 isoform 2-knockout mice show reduced enzyme activity, airway hyporeactivity, and lung pathology. *FASEB J* (2012) 26:3916

---

Jain D, Jain R, Eberhard D, Eglinger J, Bugliani M, Piemonti L, Marchetti P, Lammert E. Age- and diet-dependent requirement of DJ-1 for glucose homeostasis in mice with implications for human type 2 diabetes. *J Mol Cell Biol.* (2012) 4:221

---

Jaschke A, Chung B, Hesse D, Kluge R, Zahn C, Moser M, Petzke KJ, Brigelius-Flohé R, Puchkov D, Koepsell H, Heeren J, Joost HG, Schürmann A. The GTPase ARFRP1 controls the lipidation of chylomicrons in the Golgi of the intestinal epithelium. *Hum Mol Genet.* (2012) 21:3128

---

Jelenik T, Roden M. Mitochondrial Plasticity in Obesity and Diabetes Mellitus. *Antioxid Redox Signal.* 2012 Oct 9. [Epub ahead of print]

---



---

Jourdan C, Petersen AK, Gieger C, Döring A, Illig T, Wang-Sattler R, Meisinger C, Peters A, Adamski J, Prehn C, Suhre K, Altmaier E, Kastenmüller G, Römisch-Margl W, Theis FJ, Krumsiek J, Wichmann HE, Linseisen J. Body fat free mass is associated with the serum metabolite profile in a population-based study. *PLoS One* (2012) 7:e40009

---

Kaceroovsky-Bielesz G, Kaceroovsky M, Chmelik M, Farukuoye M, Ling C, Pokan R, Tschan H, Szendroedi J, Schmid AI, Gruber S, Herder C, Wolzt M, Moser E, Pacini G, Smekal G, Groop L, Roden M. A single nucleotide polymorphism associates with the response of muscle ATP synthesis to long-term exercise training in relatives of type 2 diabetic humans. *Diabetes Care*. (2012) 35:350

---

Karakas M, Thorand B, Zierer A, Huth C, Meisinger C, Roden M, Rottbauer W, Peters A, Koenig W, Herder C. Low Levels of Serum 25-Hydroxyvitamin D Are Associated with Increased Risk of Myocardial Infarction, Especially in Women: Results from the MONICA/KORA Augsburg Case-Cohort Study. *J Clin Endocrinol Metab*. (2012) Nov 12. [Epub ahead of print]

---

Kiefer FW, Neschen S, Pfau B, Legerer B, Neuhofer A, Kahle M, Hrabé de Angelis M, Schleder M, Mair M, Kenner L, Plutzky J, Zeyda M, Stulnig TM. Osteopontin deficiency protects against obesity-induced hepatic steatosis and attenuates glucose production in mice. *Diabetologia* (2011) 54:2132

---

Krause S, Chmiel R, Bonifacio E, Scholz M, Powell M, Furmaniak J, Rees Smith B, Ziegler AG, Achenbach P. IA-2 autoantibody affinity in children at risk for type 1 diabetes. *Clin Immunol*. (2012) 145:224

---

Krug S, Kastenmüller G, Stückler F, Rist MJ, Skurk T, Sailer M, Raffler J, Römisch-Margl W, Adamski J, Prehn C, Frank T, Engel KH, Hofmann T, Luy B, Zimmermann R, Moritz F, Schmitt-Kopplin P, Krumsiek J, Kremer W, Huber F, Oeh U, Theis FJ, Szymczak W, Hauner H, Suhre K, Daniel H. The dynamic range of the human metabolome revealed by challenges. *FASEB J* (2012) 26:2607

---

Krumsiek J, Suhre K, Evans AM, Mitchell MW, Mohny RP, Milburn MV, Wägele B, Römisch-Margl W, Illig T, Adamski J, Gieger C, Theis FJ, Kastenmüller G. Mining the unknown: a systems approach to metabolite identification combining genetic and metabolic information. *PLoS Genet* (2012) 8:e1003005

---

Krumsiek J, Suhre K, Illig T, Adamski J, Theis FJ. Bayesian independent component analysis recovers pathway signatures from blood metabolomics data. *J Proteome Res*. (2012) 11:4120

---

Kullmann S, Frank S, Heni M, Ketterer C, Veit R, Häring HU, Fritsche A, Preissl H. Intranasal Insulin Modulates Intrinsic Reward and Prefrontal Circuitry of the Human Brain in Lean Women. *Neuroendocrinology*. (2012) Aug 25. [Epub ahead of print]

---



---

Lee AWS, Hengstler H, Schwald K, Berriel-Diaz M, Loreth D, Kirsch M, Kretz O, Haas CA, Hrabé de Angelis M, Herzig S, Brümmendorf T, Klingenspor M, Rathjen FG, Rozman J, Nicholson G, Cox RD, Schäfer MKE. Functional inactivation of the genome-wide association study obesity gene Neuronal Growth Regulator 1 in mice causes a body mass phenotype. *PLoS ONE* (2012) 7:e41537

---

Li X, Hansen J, Zhao X, Lu X, Weigert C, Häring H-U, Pedersen BK, Plomgaard P, Lehmann R, Xu G. Independent component analysis in non-hypothesis driven metabolomics: improvement of pattern discovery and simplification of biological data interpretation demonstrated with plasma samples of exercising humans. *J. Chrom. B* (2012) Jul 1. [Epub ahead of print].

---

Linder K, Wagner R, Hatziagelaki E, Ketterer C, Heni M, Machicao F, Stefan N, Staiger H, Häring HU, Fritsche A. Allele summation of diabetes risk genes predicts impaired glucose tolerance in female and obese individuals. *PLoS One*. (2012) 7:e38224

---

Lubura M, Hesse D, Neumann N, Scherneck S, Wiedmer P, Schürmann A. Non-invasive quantification of white and brown adipose tissues and liver fat content by computed tomography in mice. *PLoS One* (2012) 7:e37026

---

Ludwig B, Rotem A, Schmid J, Weir GC, Colton CK, Brendel MD, Neufeld T, Block NL, Yavriyants K, Steffen A, Ludwig S, Chavakis T, Reichel A, Azarov D, Zimmermann B, Maimon S, Balyura M, Rozenshtein T, Shabtay N, Vardi P, Bloch K, de Vos P, Schally AV, Bornstein SR, Barkai U. Improvement of islet function in a bioartificial pancreas by enhanced oxygen supply and growth hormone releasing hormone agonist. *Proc Natl Acad Sci U S A*. (2012) 109:5022

---

Machann J, Stefan N, Schabel C, Schleicher E, Fritsche A, Würslin C, Häring HU, Claussen CD, Schick F. Fraction of unsaturated fatty acids in visceral adipose tissue (VAT) is lower in subjects with high total VAT volume - a combined (1) H MRS and volumetric MRI study in male subjects. *NMR Biomed*. (2012) Sep 12. doi: 10.1002/nbm.2849. [Epub ahead of print]

---

Machicao F, Muresanu DF, Hundsberger H, Pflüger M, Guekht A. Pleiotropic neuroprotective and metabolic effects of Actovegin's mode of action. *J Neurol Sci*. (2012) 322:222

---

Märker T, Sell H, Zillessen P, Glöde A, Kriebel J, Ouwens DM, Pattyn P, Ruige J, Famulla S, Roden M, Eckel J, Habich C. Heat shock protein 60 as a mediator of adipose tissue inflammation and insulin resistance. *Diabetes* (2012) 61:615

---



---

Marquard J, Welters A, Buschmann T, Barthlen W, Vogelgesang S, Klee D, Krausch M, Raffel A, Otter S, Piemonti L, Mayatepek E, Otonkoski T, Lammert E, Meissner T. Association of exercise-induced hyperinsulinaemic hypoglycaemia with MCT1-expressing insulinoma. *Diabetologia*. 2012 Oct 17. [Epub ahead of print]

---

Mehta D, Heim K, Herder C, Carstensen M, Eckstein G, Schurmann C, Homuth G, Nauck M, Völker U, Roden M, Illig T, Gieger C, Meitinger T, Prokisch H. Impact of common regulatory single-nucleotide variants on gene expression profiles in whole blood. *Eur J Hum Genet*. (2012)Jun 13. doi: 10.1038/ejhg.2012.106. [Epub ahead of print]

---

Morris AP, Voight BF, Teslovich TM, Ferreira T, Segrè AV, Steinthorsdottir V, Strawbridge RJ, Khan H, Grallert H, Mahajan A, Prokopenko I, Kang HM, Dina C, Esko T, Fraser RM, Kanoni S, Kumar A, Lagou V, Langenberg C, Luan J, Lindgren CM, Müller-Nurasyid M, Pechlivanis S, Rayner NW, Scott LJ, Wiltshire S, Yengo L, Kinnunen L, Rossin EJ, Raychaudhuri S, Johnson AD, Dimas AS, Loos RJ, Vedantam S, Chen H, Florez JC, Fox C, Liu CT, Rybin D, Couper DJ, Kao WH, Li M, Cornelis MC, Kraft P, Sun Q, van Dam RM, Stringham HM, Chines PS, Fischer K, Fontanillas P, Holmen OL, Hunt SE, Jackson AU, Kong A, Lawrence R, Meyer J, Perry JR, Platou CG, Potter S, Rehnberg E, Robertson N, Sivapalaratnam S, Stančáková A, Stirrups K, Thorleifsson G, Tikkanen E, Wood AR, Almgren P, Atalay M, Benediktsson R, Bonnycastle LL, Burt N, Carey J, Charpentier G, Crenshaw AT, Doney AS, Dorkhan M, Edkins S, Emilsson V, Eury E, Forsen T, Gertow K, Gigante B, Grant GB, Groves CJ, Guiducci C, Herder C, Hreidarsson AB, Hui J, James A, Jonsson A, Rathmann W, Klopp N, Kravic J, Krjutškov K, Langford C, Leander K, Lindholm E, Lobbens S, Männistö S, Mirza G, Mühleisen TW, Musk B, Parkin M, Rallidis L, Saramies J, Sennblad B, Shah S, Sigurðsson G, Silveira A, Steinbach G, Thorand B, Trakalo J, Veglia F, Wennauer R, Winckler W, Zabaneh D, Campbell H, van Duijn C, Uitterlinden AG, Hofman A, Sijbrands E, Abecasis GR, Owen KR, Zeggini E, Trip MD, Forouhi NG, Syvänen AC, Eriksson JG, Peltonen L, Nöthen MM, Balkau B, Palmer CN, Lyssenko V, Tuomi T, Isomaa B, Hunter DJ, Qi L; Wellcome Trust Case Control Consortium; Meta-Analyses of Glucose and Insulin-related traits Consortium (MAGIC) Investigators; Genetic Investigation of ANthropometric Traits (GIANT) Consortium; Asian Genetic Epidemiology Network–Type 2 Diabetes (AGEN-T2D) Consortium; South Asian Type 2 Diabetes (SAT2D) Consortium, Shuldiner AR, Roden M, Barroso I, Wilsgaard T, Beilby J, Hovingh K, Price JF, Wilson JF, Rauramaa R, Lakka TA, Lind L, Dedoussis G, Njølstad I, Pedersen NL, Khaw KT, Wareham NJ, Keinänen-Kiukaanniemi SM, Saaristo TE, Korpi-Hyövälti E, Saltevo J, Laakso M, Kuusisto J, Metspalu A, Collins FS, Mohlke KL, Bergman RN, Tuomilehto J, Boehm BO, Gieger C, Hveem K, Cauchi S, Froguel P, Baldassarre D, Tremoli E, Humphries SE, Saleheen D, Danesh J, Ingelsson E, Ripatti S, Salomaa V, Erbel R, Jöckel KH, Moebus S, Peters A, Illig T, de Faire U, Hamsten A, Morris AD, Donnelly PJ, Frayling TM, Hattersley AT, Boerwinkle E, Melander O, Kathiresan S, Nilsson PM, Deloukas P, Thorsteinsdottir U, Groop LC, Stefansson K, Hu F, Pankow JS, Dupuis J, Meigs JB, Altshuler D, Boehnke M, McCarthy MI. Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. *DIAbetes Genetics Replication And Meta-analysis (DIAGRAM) Consortium*. *Nat Genet*. (2012) 44:981

---

Neukamm S, Toth R, Morrice N, Campbell DG, MacKintosh C, Lehmann R, Häring H-U, Schleicher ED, Weigert C. IGF-1/insulin-dependent interaction of IRS-2 with 14-3-3 proteins: involvement of Akt/PKB-mediated phosphorylation of Ser-573. *PLoS ONE* (2012) 7:e43296

---



---

Nowotny B, Nowotny PJ, Strassburger K, Roden M. Precision and comparability of blood glucose measurements using three different instruments. *Diabet Med.* (2012) 29:260

---

Olszewski PK, Rozman J, Jacobsson JA, Rathkolb B, Strömberg S, Hans W, Klockars A, Alsiö J, Risérus U, Becker L, Hölter SM, Elvert R, Erhardt N, Gailus-Durner V, Fuchs H, Fredriksson R, Wolf E, Klopstock T, Wurst W, Levine AS, Marcus C, Hrabě de Angelis M, Klingenspor M, Schiöth HB, Kilimann MW. Neurobeachin, a regulator of synaptic protein targeting, is associated with body fat mass and feeding behavior in mice and body-mass index in humans. *PLoS Genet.* (2012) 8:e1002568

---

Perry JR, Voight BF, Yengo L, Amin N, Dupuis J, Ganser M, Grallert H, Navarro P, Li M, Qi L, Steinthorsdottir V, Scott RA, Almgren P, Arking DE, Aulchenko Y, Balkau B, Benediktsson R, Bergman RN, Boerwinkle E, Bonnycastle L, Burt NP, Campbell H, Charpentier G, Collins FS, Gieger C, Green T, Hadjadj S, Hattersley AT, Herder C, Hofman A, Johnson AD, Kottgen A, Kraft P, Labrune Y, Langenberg C, Manning AK, Mohlke KL, Morris AP, Oostra B, Pankow J, Petersen AK, Pramstaller PP, Prokopenko I, Rathmann W, Rayner W, Roden M, Rudan I, Rybin D, Scott LJ, Sigurdsson G, Sladek R, Thorleifsson G, Thorsteinsdottir U, Tuomilehto J, Uitterlinden AG, Vivequin S, Weedon MN, Wright AF; MAGIC; DIAGRAM Consortium; GIANT Consortium, Hu FB, Illig T, Kao L, Meigs JB, Wilson JF, Stefansson K, van Duijn C, Altschuler D, Morris AD, Boehnke M, McCarthy MI, Froguel P, Palmer CN, Wareham NJ, Groop L, Frayling TM, Cauchi S. Stratifying type 2 diabetes cases by BMI identifies genetic risk variants in LAMA1 and enrichment for risk variants in lean compared to obese cases. *PLoS Genet.* (2012) 8:e1002741

---

Peter A, Kantartzis K, Machicao F, Machann J, Wagner S, Templin S, Königsrainer I, Königsrainer A, Schick F, Fritsche A, Häring HU, Stefan N. Visceral obesity modulates the impact of apolipoprotein C3 gene variants on liver fat content. *Int J Obes (Lond).* (2012) 36:774

---

Petersen AK, Stark K, Muntaser DM, Nelson CP, Römisch-Margl W, Kremer W, Raffler J, Krug S, Skurk T, Rist MJ, Daniel H, Hauner H, Adamski J, Tomazewski M, Döring A, Peters A, Wichmann HE, Kaess BM, Kalbitzer HR, Huber F, Pfahlert V, Samani NJ, Kronenberg F, Dieplinger H, Illig T, Hengstenberg C, Suhre K, Gieger C, Kastenmüller G. Genetic associations with lipoprotein subfractions provide information on their biological nature. *Hum Mol Genet.* (2012) 21:1433

---

Renner S, Römisch-Margl W, Prehn C, Krebs S, Adamski J, Göke B, Blum H, Suhre K, Roscher AA, Wolf E: Changing metabolic signatures of amino acids and lipids during the prediabetic period in a pig model with impaired incretin function and reduced beta-cell mass. *Diabetes* (2012) 61:2166

---





---

Rittig K, Dolderer JH, Balletshofer B, Machann J, Schick F, Meile T, Küper M, Stock UA, Staiger H, Machicao F, Schaller HE, Königsrainer A, Häring HU, Siegel-Axel DI. The secretion pattern of perivascular fat cells is different from that of subcutaneous and visceral fat cells. *Diabetologia*. (2012) 55:1514

---

Römisch-Margl W, Prehn C, Bogumil R, Röhring C, Suhre K, Adamski J. Procedure for tissue sample preparation and metabolite extraction for high-throughput targeted metabolomics. *Metabolomics* (2012) 8:133

---

Sartorius T, Heni M, Tschritter O, Preissl H, Hopp S, Fritsche A, Lievertz PS, Gertler A, Berthou F, Taouis M, Staiger H, Häring HU, Hennige AM. Leptin affects insulin action in astrocytes and impairs insulin-mediated physical activity. *Cell Physiol Biochem*. (2012) 30:238

---

Sartorius T, Ketterer C, Kullmann S, Balzer M, Rotermund C, Binder S, Hallschmid M, Machann J, Schick F, Somoza V, Preissl H, Fritsche A, Häring HU, Hennige AM. Monounsaturated fatty acids prevent the aversive effects of obesity on locomotion, brain activity, and sleep behavior. *Diabetes*. (2012) 61:1669

---

Sartorius T, Lutz SZ, Hoene M, Waak J, Peter A, Weigert C, Rammensee HG, Kahle PJ, Häring HU, Hennige AM. Toll-like receptors 2 and 4 impair insulin-mediated brain activity by interleukin-6 and osteopontin and alter sleep architecture. *FASEB J*. (2012) 26:1799

---

Sartorius T, Staiger H, Ketterer C, Heni M, Machicao F, Guilherme A, Grallert H, Schulze MB, Boeing H, Stefan N, Fritsche A, Czech MP, Häring HU. Association of Common Genetic Variants in the MAP4K4 Locus with Prediabetic Traits in Humans. *PLoS One* (2012) 7:e47647

---

Schäfer A, von Toerne C, Becker S, Sarioglu H, Neschen N, Kahle M, Hauck S M, Ueffing M. Two-Dimensional Peptide Separation Improving Sensitivity of Selected Reaction Monitoring-Based Quantitative Proteomics in Mouse Liver Tissue: Comparing Off-Gel Electrophoresis and Strong Cation Exchange Chromatography. *Anal Chem*. (2012) 84:8853

---

Schriever SC, Deutsch MJ, Adamski J, Roscher AA, Ensenauer R. Cellular signaling of amino acids towards mTORC1 activation in impaired human leucine catabolism. *J Nutr Biochem* (2012) (Epub) doi: 10.1016/j.jnutbio.2012.04.018 (2012)

---

Schulze MB, Thorand B, Fritsche A, Häring HU, Schick F, Zierer A, Rathmann W, Kröger J, Peters A, Boeing H, Stefan N. Body adiposity index, body fat content and incidence of type 2 diabetes. *Diabetologia* (2012) 55:1660

---



---

Silbernagel G, Kovarova M, Cegan A, Machann J, Schick F, Lehmann R, Häring HU, Stefan N, Schleicher E, Fritsche A, Peter A. High Hepatic SCD1 Activity Is Associated with Low Liver Fat Content in Healthy Subjects under a Lipogenic Diet. *J Clin Endocrinol Metab.*(2012) Sep 26. [Epub ahead of print]

---

Silbernagel G, Lütjohann D, Machann J, Meichsner S, Kantartzis K, Schick F, Häring HU, Stefan N, Fritsche A. Cholesterol synthesis is associated with hepatic lipid content and dependent on fructose/glucose intake in healthy humans. *Exp Diabetes Res.* (2012) 2012:361863

---

Staropoli JF, Haliw L, Biswas S, Garrett L, Hölter SM, Becker L, Skosyrski S, Da Silva-Buttkus P, Calzada-Wack J, Neff F, Rathkolb B, Rozman J, Schrewe A, Adler T, Puk O, Sun M, Favor J, Racz I, Bekeredjian R, Busch DH, Graw J, Klingenspor M, Klopstock T, Wolf E, Wurst W, Zimmer A, Lopez E, Harati H, Hill E, Krause DS, Guide J, Dragileva E, Gale E, Wheeler VC, Boustany RM; Brown DE, Breton S, Ruether K, Gailus-Durner V, Fuchs H, Hrabé de Angelis M, Cotman SL. Large-scale phenotyping of an accurate genetic mouse model of JNCL identifies novel early pathology outside the central nervous system. *PLoS ONE* (2012) 7:e38310

---

Stefan N, Fritsche A, Häring HU. Diabetes and cancer risk. *Dtsch Med Wochenschr.* (2012)137:1003

---

Stingl KT, Kullmann S, Ketterer C, Heni M, Häring HU, Fritsche A, Preissl H. Neuronal correlates of reduced memory performance in overweight subjects. *Neuroimage.* (2012) 60:362

---

Stöckl D, Döring A, Peters A, Thorand B, Heier M, Huth C, Stöckl H, Rathmann W, Kowall B, Meisinger C. Age at menarche is associated with prediabetes and diabetes in women (aged 32-81 years) from the general population: the KORA F4 Study. *Diabetologia* (2012) 55:681

---

Szendroedi J, Frossard M, Klein N, Bieglmayer C, Wagner O, Pacini G, Decker J, Nowotny P, Müller M, Roden M. Lipid-induced insulin resistance is not mediated by impaired transcapillary transport of insulin and glucose in humans. *Diabetes* (2012) 61:3176

---

Thyssen JP, Thuesen B, Huth C, Standl M, Carson CG, Heinrich J, Krämer U, Kratzsch J, Berg ND, Menné T, Johansen JD, Carlsen BC, Schwab S, Thorand B, Munk M, Wallaschofski H, Heickendorff L, Meldgaard M, Szecsi PB, Stender S, Bøn-nelykke K, Weidinger S, Bisgaard H, Linneberg A. Skin barrier abnormality caused by filaggrin (FLG) mutations is associated with increased serum 25-hydroxy vitamin D concentrations. *Journal of Allergy and Clinical Immunology* (2012) 130:1204

---



---

Tokarz J, Mindnich R, Norton W, Möller G, Hrabé de Angelis M, Adamski J. Discovery of a novel enzyme mediating glucocorticoid catabolism in fish: 20beta-hydroxysteroid dehydrogenase type 2. *Mol Cell Endocrinol.* (2012) 349:202

---

Tschritter O, Preissl H, Hennige AM, Sartorius T, Stingl KT, Heni M, Ketterer C, Stefan N, Machann J, Schleicher E, Fritsche A, Häring HU High cerebral insulin sensitivity is associated with loss of body fat during lifestyle intervention. *Diabetologia* (2012) 55:175

---

van Buerck L, Schuster M, Rathkolb B, Sabrautzki S, Hrabé de Angelis M, Wolf E, Aigner B, Wanke R, Herbach N: Enhanced oxidative stress and endocrine pancreas alterations are linked to a novel glucokinase missense mutation in ENU derived Munich GckD217V mutants. *Mol Cell Endocrinol.* (2012) 362:139

---

van Raalte DH, van Leeuwen N, Simonis-Bik AM, Nijpels G, van Haeften TW, Schafer SA, Boomsma DI, Kramer MH, J Heine R, Maassen JA, Staiger H, Machicao F, Häring HU, Slagboom PE, Willemsen G, de Geus EJ, Dekker JM, Fritsche A, EekhoffEM, Diamant M, 't Hart LM. Glucocorticoid receptor gene polymorphisms are associated with reduced first-phase glucose-stimulated insulin secretion and disposition index in women, but not in men. *Diabet Med.* (2012) 29:e211

---

Vogel H, Scherneck S, Kanzleiter T, Benz V, Kluge R, Stadion M, Kryvych S, Blüher M, Klötting N, Joost HG, Schürmann A. Loss of function of *Ifi202b* by a microdeletion on chromosome 1 of C57BL/6J mice suppresses 11 $\beta$ -hydroxysteroid dehydrogenase type 1 expression and development of obesity. *Hum Mol Genet.* (2012) 21:3845

---

Wagner R, Machann J, Lehmann R, Rittig K, Schick F, Lenhart J, Artunc F, Linder K, Claussen CD, Schleicher E, Fritsche A, Häring HU, Weyrich P. Exercise-induced albuminuria is associated with perivascular renal sinus fat in individuals at increased risk of type 2 diabetes. *Diabetologia.* (2012) 55:2054

---

Wahl S, Yu Z, Kleber M, Singmann P, Holzapfel C, He Y, Mittelstrass K, Polonikov A, Prehn C, Römisch-Margl W, Adamski J, Suhre K, Grallert H, Illig T, Wang-Sattler R, Reinehr T. Childhood obesity is associated with changes in the serum metabolite profile. *Obesity Facts* (2012) 5:660

---



---

Wang-Sattler R, Yu Z, Herder C, Messias AC, Floegel A, He Y, Heim K, Campillos M, Holzzapfel C, Thorand B, Grallert H, Xu T, Bader E, Huth C, Mittelstrass K, Döring A, Meisinger C, Gieger C, Prehn C, Roemisch-Margl W, Carstensen M, Xie L, Yamanaka-Okumura H, Xing G, Ceglarek U, Thiery J, Giani G, Lickert H, Lin X, Li Y, Boeing H, Joost H, Hrabé de Angelis M, Rathmann W, Suhre K, Prokisch H, Peters A, Meitinger T, Roden M, Wichmann HE, Pischon T, Adamski J, Illig T. Novel biomarkers for pre-diabetes identified by metabolomics. *Mol. Syst. Biol.* (2012) 8:615

---

Willershäuser M, Ehrhardt N, Elvert R, Wirth EK, Schweizer U, Gailus-Durner V, Fuchs H, Hrabé de Angelis M, Rozman J, Klingenspor M: Systematic screening for mutant mouse lines with defects in body temperature regulation. In: T. Ruf et al. (eds.), *Living in a Seasonal World*, DOI: 10.1007/987-3-642-28678-0\_40, Springer-Verlag Berlin Heidelberg (2012)

---

Winkler C, Krumsiek J, Lempainen J, Achenbach P, Grallert H, Giannopoulou E, Bunk M, Theis FJ, Bonifacio E, Ziegler AG. A strategy for combining minor genetic susceptibility genes to improve prediction of disease in type 1 diabetes. Winkler C, Krumsiek J, Lempainen J, Achenbach P, Grallert H, Giannopoulou E, Bunk M, Theis FJ, Bonifacio E, Ziegler AG. *Genes Immun.* (2012) 13:549

---

Wiza C, Nascimento EB, Ouwens DM. Role of PRAS40 in Akt and mTOR signaling in health and disease. *Am J Physiol Endocrinol Metab.* (2012) 302:E1453

---

Yu Z, Zhai G, Singmann P, He Y, Xu T, Prehn C, Römisch-Margl W, Lattka E, Gieger C, Soranzo N, Heinrich J, Standl M, Thiering E, Mittelstraß K, Wichmann HE, Peters A, Suhre K, Li Y, Adamski J, Spector TD, Illig T, Wang-Sattler R. Human serum metabolic profiles are age dependent. *Aging Cell* (2012) 11:960

---

Ziegler AG, Wallner M, Kaiser I, Rossbauer M, Harsunen MH, Lachmann L, Maier J, Winkler C, Hummel S. Long-term protective effect of lactation on the development of type 2 diabetes in women with recent gestational diabetes mellitus. *Diabetes* (2012) 61:3167

---